

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**







Patent Examiner's Toolkit

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L10: (1) coating adj composition  
☐ L11: (65573) coating adj composition  
☐ L12: (296) 9 and 11  
☐ L15: (7847) semipermeable adj membr  
☐ L16: (4) 12 and 15  
☐ L14: (23) 12 and 524/\$7.ccls.  
☐ L13: (76) 9 and 524/\$7.ccls.

Failed  
Saved

Search

Q#s: USPAT: US-PGPUB: EPO: JPO: DERWENT ☐ Plurals  
Default operator: OR ☒ Highlight all hit terms initially

9 and 524/\$7.ccls.

|    | U                                   | I                                   | Document ID  | Issue Date | Pages | Title  | Current OR | Current XRef                           |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|--|------------|--|
| 35 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4417021 A | 19831122   | 26    | Polyester composition and production thereof                                     | 524/538    | 524/504;<br>524/539;<br>525/1425       |
| 36 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4377505 A | 19830322   | 5     | Electrical resistor and fabrication thereof                                      | 252/512    | 252/511;<br>252/518.1;                 |
| 37 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4260652 A | 19810407   | 30    | Preparation of permselective composite membrane                                  | 427/245    | 252/518.1;<br>210/490;<br>210/500.28;  |
| 38 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 4256805 A | 19810317   | 10    | Powdery coating composition and process for preparing the same                   | 428/357    | 427/222;<br>428/327;<br>428/327;       |
| 39 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4256492 A | 19810317   | 5     | Marker ink for writing board   | 106/31.37  | 106/31.43;<br>106/31.58;<br>106/31.62; |
| 40 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4245069 A | 19810113   | 17    | Polysiloxane composition   | 525/479    | 351/160R;<br>524/588                   |
| 41 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4174307 A | 19791113   | 11    | Room-temperature-radiation-curable polyurethane                                  | 522/96     | 522/12;<br>522/144;                    |
| 42 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4165406 A | 19790821   | 10    | Powdery coating composition and process for preparing the same                   | 428/407    | 428/413;<br>428/481;                   |
| 43 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4137042 A | 19790130   | 9     | Dry heat process for dyeing and printing organic material which can be dyed with | 6/470      | 106/31.37;<br>106/31.46;               |
| 44 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4118440 A | 19781003   | 10    | Crosslinked vinyl halide polymers as flame retardant additives for thermoplastic | 525/164    | 524/408;<br>524/519;                   |
| 45 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4115056 A | 19780919   |       | Methods for dyeing or printing using amino-anthraquinone reactive disperse       | 8/543      | 106/31.37;<br>106/31.43;               |

Start  9/27/02  Microsoft Outlook EAST - [default.wsp:1] 7:13 AM



- Failed**  
**Saved**

Search |  | Browse | Queue | Clear

DB: USPAT; US-PG PUB; EPO; JPO; DERWENT

Default operator: ☐ QR

9 and 524/97.ccls.

☐ Plural☒ Highlight all hit terms initially.

|    | U                                   | I                                   | Document ID       | Issue Date | Pages | Title   | Current OR | Current XRef              |
|----|-------------------------------------|-------------------------------------|-------------------|------------|-------|---|------------|---------------------------|
| 1  | <input type="checkbox"/>            | <input type="checkbox"/>            | US 20020032271 A1 | 20020314   | 28    | Antistatic coat, thermal transfer sheet having antistatic property and antistatic | 524/495    |                           |
| 2  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 6310133 B1     | 20011030   | 22    | Antistatic coat, thermal transfer sheet having antistatic property and antistatic | 524/496    | 524/495                   |
| 3  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6299979 B1     | 20011009   | 9     | Color effect coating compositions having reflective organic pigments              | 428/407    | 106/499;<br>428/411.1;    |
| 4  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 5977217 A      | 19991102   | 7     | Quick drying nail enamel composition  | 524/35     | 424/61;<br>523/105        |
| 5  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5750318 A      | 19980512   | 9     | Laser imaging element   | 430/346    | 430/270.16;<br>430/495.1; |
| 6  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5709985 A      | 19980120   | 15    | Photographic element comprising antistatic layer                                  | 430/529    | 428/702;<br>430/527;      |
| 7  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5629367 A      | 19970513   | 11    | Method of making pigment concentrate particles and product of same                | 524/88     | 430/106.2;<br>430/108.1;  |
| 8  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5604280 A      | 19970218   | 10    | Ring spiro [fluorene-[2H]-benzopyranes] and their use in ophthalmic optics        | 524/110    | 351/166;<br>351/232;      |
| 9  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5594044 A      | 19970114   | 6     | ink jet ink which is rub resistant to alcohol                                     | 523/160    | 106/31.05;<br>106/31.06;  |
| 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5458815 A      | 19951017   | 13    | Photochromic naphthopyran compounds   | 252/586    | 524/94;<br>524/99;        |
| 11 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5384077 A      | 19950124   | 15    | Photochromic naphthopyran compounds   | 252/586    | 524/110;<br>546/271.7;    |

Patent Examiner's Tool

EAST - [default.wsp:1]

File View Edit Tools Window Help

☒ L10: (1) coating adj composition  
☒ L11: (65573) coating adj composition  
☒ L12: (296) 9 and 11  
☒ L15: (7847) semipermeable adj membrar  
☒ L16: (4) 12 and 15  
☒ L14: (23) 12 and 524/57.ccls.  
☒ L13: (76) 9 and 524/57.ccls.  
☐ Failed  
☒ Saved

Search      
 DB:  ☐ Plurals  
 Default operator:  ☒ Highlight all hit terms initially

☒ BRS f... ☒ ISR... ☐ Image ☐ Text ☐ HTML

|    | U                                   | I                                   | Document ID  | Issue Date | Pages | Title   | Current OR | Current XRef                           |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|---|------------|--|
| 13 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5354799 A | 19941011   | 6     | Limited coalescence process   | 524/458    | 523/333;<br>523/339;<br>524/153;       |
| 14 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5340857 A | 19940823   | 14    | Photochromic naphthopyrans  | 524/110    | 524/102;<br>524/84;<br>524/153;        |
| 15 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 5331027 A | 19940719   | 9     | Lubricious hydrophilic coating, resistant to wet abrasion                         | 524/37     | 524/30;<br>524/39;<br>524/153;         |
| 16 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5312862 A | 19940517   | 21    | Methods for admixing compressed fluids with solvent-borne compositions            | 524/552    | 106/169.01;<br>106/169.12;<br>524/153; |
| 17 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5306739 A | 19940426   | 19    | Highly filled polymeric compositions  | 522/42     | 424/441;<br>522/103;<br>524/153;       |
| 18 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5274132 A | 19931228   | 9     | Photochromic naphthopyran compounds   | 549/389    | 351/163;<br>524/109;<br>524/153;       |
| 19 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5244602 A | 19930914   | 18    | Photochromic naphthopyrans  | 252/589    | 524/102;<br>524/110;<br>524/153;       |
| 20 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5238981 A | 19930824   | 16    | Photochromic naphthopyrans  | 524/110    | 524/109;<br>524/99;<br>524/153;        |
| 21 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5229488 A | 19930720   | 13    | Method for manufacture of an absorbent resin                                      | 528/487    | 524/430;<br>524/431;<br>524/153;       |
| 22 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5145722 A | 19920908   | 8     | Method and composition for protecting and enhancing the solderability of metallic | 427/388.1  | 148/23;<br>148/25;<br>524/153;         |
| 23 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5066818 A | 19911119   | 17    | Photochromic naphthopyran compounds   | 549/389    | 524/110;<br>549/60                     |

Start ☒ ☐ ☐ ☐ Clock: 9/27/02 Inbox: Microsoft Outlook EAST - [default.wsp:1] 7:11 AM

Failed  
Saved

 BRS 1...
  ISR ...
  Image
  Text
  HTML

Start Clock: 9/27/02 Inbox - Microsoft Outlook EAST - [default, wsp:1] 7:11 AM

Patent Examiner's Toolkit

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L10: (1) coating adj composition  
☐ L11: (65573) coating adj composition  
☐ L12: (296) 9 and 11  
☐ L13: (76) 9 and 524/\$7.ccls.  
☐ L15: (7847) semipermeable adj membrar  
☐ L16: (4) 12 and 15  
☐ L14: (23) 12 and 524/\$7.ccls.  
☐ Failed  
☒ Saved

Search      
 DBs: USPAT; US-PGPUB; EPO; JPO; DERWENT ☐ Plurals  
 Default operator: OR ☒ Highlight all hit terms initially  
 12 and 524/\$7.ccls.

|    | U                                   | I                                   | Document ID  | Issue Date | Pages | Title  | Current OR | Current XRef               |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|--|------------|----------------------------|
| 2  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 5709985 A | 19980120   | 15    | Photographic element comprising antistatic layer                             | 430/529    | 428/702;<br>430/527;       |
| 3  | <input type="checkbox"/>            | <input type="checkbox"/>            | US 5369158 A | 19941129   | 16    | Photochromic naphthopyrans   | 524/110    | 524/109;<br>524/84;        |
| 4  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 5340857 A | 19940823   | 14    | Photochromic naphthopyrans   | 524/110    | 524/102;<br>524/84;        |
| 5  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 5312862 A | 19940517   | 21    | Methods for admixing compressed fluids with solvent-borne compositions       | 524/552    | 106/169.01;<br>106/169.12; |
| 6  | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 5306739 A | 19940426   | 19    | Highly filled polymeric compositions   | 522/42     | 424/441;<br>522/103;       |
| 7  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5274132 A | 19931228   | 9     | Photochromic naphthopyran compounds  | 549/389    | 351/163;<br>524/109;       |
| 8  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5244602 A | 19930914   | 18    | Photochromic naphthopyrans   | 252/589    | 524/102;<br>524/110;       |
| 9  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5238981 A | 19930824   | 16    | Photochromic naphthopyrans   | 524/110    | 524/109;<br>524/99;        |
| 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 5066818 A | 19911119   | 17    | Photochromic naphthopyran compounds  | 549/389    | 524/110;<br>549/60         |
| 11 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4891248 A | 19900102   | 10    | Catalyst-containing coating to promote rapid curing of polyurethane lacquers | 427/340    | 106/169.34;<br>106/169.53; |
| 12 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4752532 A | 19880621   | 4     | Polyester primer composition   | 428/482    | 428/423.7;<br>428/458;     |

Start ☒ ☐ ☐ ☐ Clock: 9/27/02 ☒ Inbox - Microsoft Outlook EAST - [default.wsp:1] 6:54 AM

Patent Examiner's Toolkit

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L10: (1) coating adj composition  
☐ L11: (65573) coating adj composition  
☐ L12: (296) 9 and 11  
☐ L13: (76) 9 and 524/37.ccls.  
☐ L15: (7847) semipermeable adj membrar  
☐ L16: (4) 12 and 15  
☐ L14: (23) 12 and 524/37.ccls.

☐ Failed  
☐ Saved

Search      
 DBs: USPAT; US-PGPUB; EPO; JPO; DERWENT ☐ Plurals  
 Default operator: OR ☒ Highlight all hit terms initially  
 12 and 524/37.ccls.

|    | U                                   | I                                   | Document ID  | Issue Date | Pages | Title  | Current OR | Current XRef                          |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|--|------------|---------------------------------------|
| 12 | <input type="checkbox"/>            | <input type="checkbox"/>            | US 4752532 A | 19880621   | 4     | Polyester primer composition                                   | 428/482    | 428/423.7;<br>428/458;<br>428/475.2   |
| 13 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4638022 A | 19870120   | 5     | Molding coating composition and process                        | 524/15     |                                       |
| 14 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4629753 A | 19861216   | 19    | Water dispersed rust inhibitive coating compositions           | 524/394    | 427/388.4;<br>524/400;<br>524/423.7   |
| 15 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4566906 A | 19860128   | 7     | Anti-fouling paint containing leaching agent stabilizers       | 106/15.05  | 106/16;<br>523/122;<br>524/322        |
| 16 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4256805 A | 19810317   | 10    | Powdery coating composition and process for preparing the same | 428/357    | 427/222;<br>428/327;<br>522/127       |
| 17 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4174307 A | 19791113   | 11    | Room-temperature-radiation-curable polyurethane                | 522/96     | 522/12;<br>522/144;                   |
| 18 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4165406 A | 19790821   | 10    | Powdery coating composition and process for preparing the same | 428/407    | 428/413;<br>428/481;<br>428/522       |
| 19 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4113917 A | 19780912   | 10    | Powdery coating composition and process for preparing the same | 428/407    | 428/510;<br>524/44;                   |
| 20 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 3970725 A | 19760720   | 11    | Powdery coating composition and process for preparing the same | 525/208    | 523/202;<br>524/37;                   |
| 21 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 3943080 A | 19760309   | 11    | Organic flattening agents and method of preparation            | 523/223    | 524/44;<br>525/142;<br>525/143        |
| 22 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 3885080 A | 19750520   | 3     | Cellulosic film base assembly                                  | 428/336    | 428/423.7;<br>428/424.2;<br>428/425.1 |

Start ☐ ☐ ☐ ☐ Clock: 9/27/02 ☐ Inbox - Microsoft Outlook ☐ EAST - [default.wsp:1]     6:57 AM

Patent Examiner's Toolkit

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L10: (1) coating adj composition  
☐ L11: (65573) coating adj composition  
☐ L12: (296) 9 and 11  
☐ L13: (76) 9 and 524/\$7.ccls.  
☐ L15: (7847) semipermeable adj membr  
☐ L16: (4) 12 and 15  
☐ L14: (23) 12 and 524/\$7.ccls.  
☐ Failed  
☐ Saved

Search

Q8: USPAT: US:PGPUB: EPO: JPO: DERWENT ☐ Plurals  
Default operator: OR ☒ Highlight all hit terms initially

12 and 524/\$7.ccls.

|    | U                                   | I                                   | Document ID  | Issue Date | Pages | Title  | Current OR | Current XRef                          |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|--|------------|---------------------------------------|
| 12 | <input type="checkbox"/>            | <input type="checkbox"/>            | US 4752532 A | 19880621   | 4     | Polyester primer composition                                   | 428/482    | 428/423.7;<br>428/458;<br>428/475.8   |
| 13 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4638022 A | 19870120   | 5     | Molding coating composition and process                        | 524/15     |                                       |
| 14 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4629753 A | 19861216   | 19    | Water dispersed rust inhibitive coating compositions           | 524/394    | 427/388.4;<br>524/400;<br>524/422     |
| 15 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4566906 A | 19860128   | 7     | Anti-fouling paint containing leaching agent stabilizers       | 106/15.05  | 106/16;<br>523/122;<br>524/222        |
| 16 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 4256805 A | 19810317   | 10    | Powdery coating composition and process for preparing the same | 428/357    | 427/222;<br>428/327;<br>428/427       |
| 17 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4174307 A | 19791113   | 11    | Room-temperature-radiation-curable polyurethane                | 522/96     | 522/12;<br>522/144;<br>524/44         |
| 18 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4165406 A | 19790821   | 10    | Powdery coating composition and process for preparing the same | 428/407    | 428/413;<br>428/481;<br>428/522       |
| 19 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4113917 A | 19780912   | 10    | Powdery coating composition and process for preparing the same | 428/407    | 428/510;<br>524/44;<br>524/146        |
| 20 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 3970725 A | 19760720   | 11    | Powdery coating composition and process for preparing the same | 525/208    | 523/202;<br>524/37;<br>524/42         |
| 21 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 3943080 A | 19760309   | 11    | Organic flattening agents and method of preparation            | 523/223    | 524/44;<br>525/142;<br>525/143        |
| 22 | <input type="checkbox"/>            | <input type="checkbox"/>            | US 3885080 A | 19750520   | 3     | Cellulosic film base assembly                                  | 428/336    | 428/423.7;<br>428/424.2;<br>428/425.8 |

Start  9/27/02  Microsoft Outlook EAST - [default.wsp:1] 7:02 AM

| L Number | Hits   | Search Text   | DB  | Time stamp       |
|----------|--------|---|---|------------------|
| 1        | 23618  | cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:42 |
| 2        | 19861  | ethyl adj cellulose   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:43 |
| 3        | 197359 | acetone   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:43 |
| 4        | 261455 | methanol  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:43 |
| 5        | 387525 | methanol or ethanol   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:44 |
| 6        | 8027   | (cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate) and ((ethyl adj cellulose) or acetone)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:44 |
| 7        | 3398   | (cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate) and (ethyl adj cellulose)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:45 |
| 8        | 1418   | acetone and ((cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate) and (ethyl adj cellulose))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:45 |
| 9        | 1101   | ( methanol or ethanol) and (acetone and ((cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate) and (ethyl adj cellulose)))                                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:45 |
| 10       | 1      | coating adj composition   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:46 |
| 11       | 65573  | coating adj composition   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:47 |
| 12       | 296    | (( methanol or ethanol) and (acetone and ((cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate) and (ethyl adj cellulose)))) and (coating adj composition) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:47 |
| 13       | 76     | (( methanol or ethanol) and (acetone and ((cellulose adj acetate adj butyrate or cellulose adj acetate adj propionate or polymethylmethacrylate) and (ethyl adj cellulose)))) and 524/\$7.ccls.             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2002/09/27 06:47 |

Patent Examiner's Tools

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L18: (2678818) water  
☐ L19: (159934) 3 and 18  
☐ L20: (2035) 17 and 19  
☐ L21: (97959) 3 same 18  
☐ L22: (1044) 17 and 21  
☐ L23: (178) 11 and 22  
☒ L24: (32) 23 and 524/57.ccls.  
☐ Failed  
☐ (0) 17 same 19  
☐ Saved

Search      
 DBs: USPAT; US-PGPUB; EPO; JPO; DERWENT ☐ Burs  
 Default operator: OR ☒ Highlight all hit terms initially  
 23 and 524/57.ccls.

|    | U                                   | I                                   | Document ID  | Issue Date | Pages | Title   | Current OR | Current XRef               |
|----|-------------------------------------|-------------------------------------|--------------|------------|-------|---|------------|----------------------------|
| 22 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4477499 A | 19841016   | 8     | Thermoformable silicone resin coating composition and dual component coating      | 427/412.1  | 106/287.12;<br>106/287.14; |
| 23 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4436851 A | 19840313   | 6     | Silicone resin coating composition containing an ultraviolet light absorbing      | 524/43     | 106/177.1;<br>524/55;      |
| 24 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4413088 A | 19831101   | 7     | Silicone resin coating composition especially suited for primerless adhesion      | 524/714    | 524/731;<br>524/847;       |
| 25 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4382109 A | 19830503   | 9     | Abrasion resistant silicone coated thermoplastic article and method for           | 428/331    | 427/385.5;<br>427/387;     |
| 26 | <input type="checkbox"/>            | <input type="checkbox"/>            | US 4368235 A | 19830111   | 6     | Silicone resin coating composition  | 428/412    | 106/287.11;<br>106/287.14; |
| 27 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4367262 A | 19830104   | 5     | Solid substrate coated with silicone resin coating composition                    | 428/331    | 106/177.1;<br>428/412;     |
| 28 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 4309319 A | 19820105   | 6     | Silicone resin coating composition  | 106/177.1  | 524/43;<br>524/55;         |
| 29 | <input type="checkbox"/>            | <input type="checkbox"/>            | US 4177315 A | 19791204   | 4     | Coated Polymeric substrates   | 428/336    | 106/287.14;<br>106/287.15; |
| 30 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 3929693 A | 19751230   | 6     | Film-forming compositions comprising dispersions of cellulose acetate butyrate or | 524/40     | 525/309                    |
| 31 | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | US 3853563 A | 19741210   | 5     | PHOTOGRAPHIC WATER-INSOLUBLE ANTIHALATION COATING                                 | 430/514    | 430/522;<br>430/536;       |
| 32 | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | US 3785861 A | 19740115   | 13    | MELAMINE RESINS FOR IMPROVING SURFACE PROPERTIES OF SHAPED                        | 428/336    | 427/393.5;<br>428/412;     |

Start  3/27/02  EAST - [default.wsp:1] 7:33 AM